

Publicaties Alysis Zorggroep 2008 per specialisme

[Anesthesiologie](#)
[Chirurgie](#)
[Dermatologie](#)
[Epidemiologie](#)
[Farmacologie/Farmacie](#)
[Geriatric](#)
[Gynaecologie](#)
[Hart en vaatziekten](#)
[Intensive care](#)
[Interne geneeskunde](#)
[Kindergeneeskunde](#)
[Klinische chemie en haematologie](#)
[Longziekten](#)
[Maag- darm en leverziekten](#)
[Medische microbiologie](#)
[Orthopedie](#)
[Psychologie](#)
[Psychiatrie](#)
[Radiologie](#)
[Reumatologie](#)
[Revalidatie geneeskunde](#)

Anesthesiologie

Kamphuis ET, Kuipers PW, van Venrooij GE, Kalkman CJ. The effects of spinal anesthesia with lidocaine and sufentanil on lower urinary tract infections. *Anesth. Analg.* 2008, Dec; 107(6):2073-8.

Wijk RM, van, **Geurts JW**, Lousberg R, Wynne HJ, Hammink E, Knape JT, et al. Psychological predictors of substantial pain reduction after minimally invasive radiofrequency and injection treatments for chronic low back pain. *Pain Med.* 2008 Mar;9(2):212-21.

Chirurgie

Beer SA de, Spiessens G, Mol W, Fa-Si-Oen PR. Surgery for body packing in the Caribbean: a retrospective study of 70 patients. *World J Surg.* 2008 Feb;32(2):281-5.

Brokelman WJ, Holmdahl L, Bergstrom M, Falk P, **Klinkenbijn JH**, **Reijnen MM**. Heating of carbon dioxide during insufflation alters the peritoneal fibrinolytic response to laparoscopic surgery : A clinical trial. *Surg Endosc.* 2008 May;22(5):1232-6.

Brokelman WJ, Holmdahl L, Janssen IM, Falk P, Bergstrom M, **Klinkenbijn JH**, et al. Decreased Peritoneal Tissue Plasminogen Activator During Prolonged Laparoscopic Surgery. *J Surg Res.* 2008;151(1):89-93.

Buimer MG, Ankersmit MF, Wobbes T, **Klinkenbijn JH**. Surgical treatment of hidradenitis suppurativa with gentamicin sulfate: a prospective randomized study. *Dermatol Surg.* 2008 Feb;34(2):224-7.

Buimer MG, Spillenaar Bilgen EJ. Gas Gangrene of the Liver after a Choledocho-Jejunostomy. *Dig Surg.* 2008 Jul 15;25(4):260-1.

Cuesta MA, **Berends F**, Veenhof AA. The "invisible cholecystectomy": A transumbilical laparoscopic operation without a scar. *Surg Endosc.* 2008 May;22(5):1211-3. + authorsreply *Surg Endosc.* 2008 Jul;22(7):1739-40.

Eijck FC van, de Blaauw I, Bleichrodt RP, Rieu PN, van der Staak FH, Wijnen MH, et al. Closure of giant omphaloceles by the abdominal wall component separation technique in infants. *J Pediatr Surg.* 2008 Jan;43(1):246-50

Koning HD de, van Sterkenburg SM, Pierie ME, Reijnen MM. Endovascular abdominal aortic aneurysm repair complicated by spondylodiscitis and iliaco-enteral fistula. *J Vasc Surg.* 2008 Jun;47(6):1330-2.

Koning HD de, Zeebregts CJ, **Reijnen MM**. Hybrid treatment of a symptomatic popliteal pseudoaneurysm due to type-I endoleak after previous endovascular exclusion. *Catheter Cardiovasc Interv.* 2008 Jun 1;71(7):983-6.

Pouw MH, Janssen IM, **Kolkman KA**. Complicaties bij pilon-tibiaalfracturen en gevolgen voor patiënten in Ziekenhuis Rijnstate Arnhem (2001-2006). *Ned Tijdschr Traum.* 2008(1):7-12.

Reijnen MM, de Rhoter W, Zeebregts CJ. Treatment of a symptomatic popliteal pseudoaneurysm using a stent-graft and ultrasound-guided evacuation of the haematoma. *Emerg Radiol.* 2008 Jan 24. (epub ahead of print).

Vaart MG van der, Meerwaldt R, **Reijnen MM**, Tio RA, Zeebregts CJ. Endarterectomy or carotid artery stenting: the quest continues. *Am J Surg.* 2008 Feb;195(2):259-69.

Verdam FJ, **Ruijter TEG**, Vos DI. Bloeding in de buik: Hemorragische shock op basis van een mesenchymale tumor. *Ned Tijdschr Heelkunde.* 2008 april;17(3):74-7.

Vrande S van der, Meijer J, Rijnders A, Klinkenbijn JH. The value of intraoperative frozen section examination of sentinel lymph nodes in breast cancer. *Eur J Surg.* 2008 sept.

Dermatologie

Tjioe M, **Vissers WH**. Scabies outbreaks in nursing homes for the elderly: recognition, treatment options and control of reinfestation. *Drugs Aging.* 2008;25(4):299-306.

Vissers WH, van Duijnhoven M, van Erp PE, de Jong EM, van de Kerkhof PC. The effect of alefacept on T-cell subsets and cells expressing NK receptors in

lesional psoriatic skin: the effects of monotherapy and combination treatment with calcipotriol. *J Dermatolog Treat.* 2008;19(6):344-50.

Vissers WH, van Meurs T, Goldschmidt WF, Ceulen RP, Assen Y, Kuck N, et al. Residents' perspectives on dermatology training in Dutch university medical centres in 2006. *Br J Dermatol.* 2008 Sep;159(3):736-8.

Vissers WH, van Vlijmen I, van Erp PE, de Jong EM, van de Kerkhof PC. Topical treatment of mild to moderate plaque psoriasis with 0.3% tacrolimus gel and 0.5% tacrolimus cream: the effect on SUM score, epidermal proliferation, keratinization, T-cell subsets and HLA-DR expression. *Br J Dermatol.* 2008 Apr;158(4):705-12.

Vissers WHPM, Smits JV, Vleuten Cvd, Bremers A, Hoop Dd. Kliniek en behandeling van fissura ani. *Nederlands Tijdschrift voor Dermatologie & Venereologie.* 2008 september.

Epidemiologie

Lee JH van der, **Wesseling J**, Tanck MWT, Offringa M Sequential design with boundaries approach in pediatric intervention research reduces sample size.. *J Clin Epidemiol.* 2009 Sep 27. [Epub ahead of print] PMID: 19788954

Lee JH van der, Tanck MW, **Wesseling J**, Offringa M. Pitfalls in the design and analysis of paediatric clinical trials: a case of a 'failed' multi-centre study, and potential solutions. *Acta Paediatr.* 2009 Feb; 98 (2): 385-91.

Lee JH van der, **Wesseling J**, Tanck MW, Offringa M. Efficient ways exist to obtain the optimal sample size in clinical trials in rare diseases. *J Clin Epidemiol.* 2008 Apr; 61(4):324-30.

Farmacologie/farmacie

Kromhout HE, Landstra AM, van Luin M, van Setten PA. Acute coffeine-intoxicatie na het innemen van 'herbal energy'-capsules. *Ned Tijdschr Geneeskd.* 2008 Jul 12;152(28):1583-6.

Luin M van, Kuks PFM, Bureger DM. Use of therapeutic drug monitoring in HIV disease. *Curr Opin HIV/AIDS.* 2008;3:266-71.

Geriatric

Iersel MB van, Kessels RP, Bloem BR, Verbeek AL, Olde Rikkert MG. Executive functions are associated with gait and balance in community-living elderly people. *J Gerontol A Biol Sci Med Sci.* 2008 Dec;63(12):1344-9.

Iersel MB van, Munneke M, Esselink RA, Benraad CE, Olde Rikkert MG. Gait velocity and the Timed-Up-and-Go test were sensitive to changes in mobility in frail elderly patients. *J Clin Epidemiol*. 2008 Feb;61(2):186-91.

Jong D de, Jansen R, Hoefnagels W, **Jellesma-Eggenkamp M**, Verbeek M, Borm G, et al. No effect of one-year treatment with indomethacin on Alzheimer's disease progression: a randomized controlled trial. *PLoS ONE*. 2008;3(1):e1475. (epub)

Vliek S, Melis RJ, Faes M, **Goluke-Willemse GA**, de Leest BJ, Meeuwssen E, et al. Single versus multicomponent intervention in frail elderly: simplicity or complexity as precondition for success? *J Nutr Health Aging*. 2008 May;12(5):319-22.

Gynaecologie / obstetrie

Boer NK de, Zondervan PE, Gilissen LP, den Hartog G, Westerveld BD, Derijks LJ, et al. Absence of nodular regenerative hyperplasia after low-dose 6-thioguanine maintenance therapy in inflammatory bowel disease patients. *Dig Liver Dis*. 2008 Feb;40(2):108-13.

Donker AE, **Kraayenbrink AA**, K.D. L. Neonatale gevolgen van een niet lege artis uitgevoerde vacuümextractie. *Nederlands Tijdschrift voor Obstetrie en Gynaecologie*. 2008 mei;121:116-20

Doorn HC van, Timmermans A, Opmeer BC, Kruitwagen RF, **Dijkhuizen FP**, Kooi GS, et al. What is the recurrence rate of postmenopausal bleeding in women who have a thin endometrium during a first episode of postmenopausal bleeding? *Acta Obstet Gynecol Scand*. 2008;87(1):89-93.

Jansen NE, Pasker-De Jong PC, Zondervan HA. Mifepristone and misoprostol versus Dilapan and sulprostone for second trimester termination of pregnancy. *J Matern Fetal Neonatal Med*. 2008 Nov;21(11):847-51

Lince SL, Douma J, Wiersma-van Tilburg AJ, Kraayenbrink AA. Abnormal cervical smear: A sign of disseminated breast cancer. *Eur J Obstet Gynecol Reprod Biol*. Dec;141(2):186-7.

Kooper AJ, Smits AP, Feuth AB, van der Burgt I, **Zondervan HA**, Quartero RW, et al. Alfafoetoproteïnebepaling in vruchtwater voor de detectie van neuralebuisdefecten: beperkte meerwaarde boven de 20-wekenecho;retrospectiefonderzoek. *Ned Tijdschr Geneeskd*. 2008 Aug 23;152(34):1876-81.

Timmermans A, van Doorn LC, Opmeer BC, Kroeks MV, Duk MJ, Bouwmeester AM, et al. **Dijkhuizen FP**. Follow-up of Women After a First Episode of Postmenopausal Bleeding and Endometrial Thickness Greater Than 4 Millimeters. *Obstet Gynecol*. 2008 Jan;111(1):137-43.

Hart en Vaatziekten

Hirsch A, Nijveldt R, van der Vleuten PA, Tio RA, van der Giessen WJ, Marques KM, et al. **Aengevaeren, WR**. Intracoronary infusion of autologous mononuclear bone marrow cells in patients with acute myocardial infarction treated with primary PCI: Pilot study of the multicenter HEBE trial. *Catheter Cardiovasc Interv*. 2008 Feb 15;71(3):273-81.

Adiyaman A, Dechering DG, Boggia J, Li Y, Hansen TW, Kikuya M, et al. Determinants of the ambulatory arterial stiffness index in 7604 subjects from 6 populations. *Hypertension*. 2008 Dec;52(6):1038-44.

Adiyaman A, Dechering DG, Thien T, Boggia J, Hanssen TW, Li Y, et al. Putting a spin on the ambulatory arterial stiffness index. *J Hypertens*. 2008 Jun;26(6):1266-7; author reply 7-9.

Adiyaman A, Staessen JA. Kardiyovasküler risk Faktörü olarak renin : Tam bir dönüş. *Eur Heart J (Turkish Edition)*. 2008;1:10-1.

Adiyaman I, **Adiyaman A**. Hypertensievaccin. *Pharm Weekbl* 2008;143(14):10.

Thien T, **Adiyaman A**, Staessen JA, Deinum J. Blood pressure measurement in the year 2008: revival of oscillometry? *Neth J Med*. 2008 Dec;66(11):453-6.

Ahmed S, Rienstra M, Crijns HJ, Links TP, Wiesfeld AC, Hillege HL, **Bosker HA**, et al. Continuous vs episodic prophylactic treatment with amiodarone for the prevention of atrial fibrillation: a randomized trial. *Jama*. 2008 Oct 15;300(15):1784-92

Gilles R, Veldman BA, **Aengevaeren WR**, Schultze-Kool LJ, van Oort A, Lenders JW. Measurement of leg blood pressure: the most straightforward way to the diagnosis. *Neth J Med*. 2008 Feb;66(2):81-4.

Gunal A, **Aengevaeren WR**, Gehlmann HR, Luijten JE, Bos JS, Verheugt FW. Outcome and quality of life one year after percutaneous coronary interventions in octogenarians. *Neth Heart J*. 2008 Apr;16(4):117-22.

Kievit PC, Brouwer MA, Veen G, **Aengevaeren WR**, Verheugt FW. The smoker's paradox after successful fibrinolysis: reduced risk of reocclusion but no improved long-term cardiac outcome. *J Thromb Thrombolysis*. 2008 Jun 26. (epub ahead of print).

Laan A van der, Hirsch A, Nijveldt R, van der Vleuten PA, van der Giessen WJ, Doevendans PA, et al. **Aengevaeren WRM**. Bone marrow cell therapy after acute myocardial infarction: the HEBE trial in perspective, first results. *Neth Heart J*. 2008 Dec;16(12):436-9.

Schiks IE, Schoonhoven L, **Aengevaeren WR**, Nogarede-Hoekstra C, van Achterberg T, Verheugt FW. Ambulation after femoral sheath removal in percutaneous coronary intervention: a prospective comparison of early vs. late ambulation. *J Clin Nurs*. 2008 Nov 29. (epub ahead of print).

Sikkink CJ, **Reijnen MM**, Laverman P, Oyen WJ, van Goor H. Tc-99m-PEG-Liposomes Target Both Adhesions and Abscesses and Their Reduction by Hyaluronate in Rats With Fecal Peritonitis. *J Surg Res*. 2008 Aug 24. (epub ahead of print)

Sikkink CJ, **Reijnen MM**, Zeebregts CJ. The creation of the optimal dedicated endovascular suite. *Eur J Vasc Endovasc Surg*. 2008 Feb;35(2):198-204.

Intensive Care

Berbee JF, van der Hoogt CC, de Haas CJ, van Kessel KP, Dallinga Thie GM, Romijn JA, Havekes LM, **van Leeuwen HJ**, Rensen PC. Plasma apolipoprotein CI correlates with increased survival in patients with severe sepsis. *Intensive Care Med*. 2008 May;34(5):907-11.

Donselaar-van der Pant KA van, Buwalda M, **van Leeuwen HJ**. Lidocaine: een lokaal anestheticum met systemische toxiciteit. *Ned Tijdschr Geneesk*. 2008 Jan 12;152(2):61-5.

Interne geneeskunde

Beek LA te, van der Werf MJ, **Richter C**, Borgdorff MW. Toename van extrapulmonale tuberculose in Nederland door toename van het aantal inwoners met een niet-Nederlandse nationaliteit; observationeel onderzoek over 1993-2001. *Ned Tijdschr Geneesk*. 2008 Mar 15;152(11):637-42.

Berendsen RR, Willems JHBM, **Bosch FH**, Hulsebosch R, kayser B. Ernstige en soms fatale gevolgend van hoogtelongedeem. *Ned Tijdschr Geneesk*. 2008;152(51):2758-62

Berendsen D, Jaspers H, Hoogerwaard E, Richter C. Blijf alert op tetanus. *Tijdschrift voor Infectieziekten*. 2008;3:73-7.

Boekel G van, Loves S, van Sorge A, Ruinemans-Koerts J, Rijnders T, de Boer H. Weight loss in obese men by caloric restriction and high-dose diazoxide-mediated insulin suppression. *Diabetes Obes Metab*. 2008 May 12;10(12):1195-203.

Boekel G van, Ruinemans-Koerts J, Joosten F, Dijkhuizen P, van Sorge A, de Boer H. Tumor producing fibroblast growth factor 23 localized by two-staged venous sampling. *Eur J Endocrinol*. 2008 Mar;158(3):431-7.

Bosch FH, Jager CPC, de. Number of resuscitations for in hospital cardio-pulmonary arrests decreases after introduction of a medical emergency team. The "Arnhem" experience. *netherlands journal of critical care*. 2008;12(6):256-9

Bruijstems LA, van Luin M, Buscher-Jungerhans PP, Bosch FH. Reality of severe metformin-induced lactic acidosis in the absence of chronic renal impairment. *Neth J Med*. 2008 May;66(5):185-90

Dechering DG, **Adiyaman A**, Thijs L, Li Y, Hansen TW, Kikuya M, et al. Spotlights on ambulatory measures of arterial stiffness. *Am J Hypertens*. 2008 Apr;21(4):368-9; author reply 70.

Dechering DG, van der Steen MS, **Adiyaman A**, Thijs L, Deinum J, Li Y, et al. Reproducibility of the ambulatory arterial stiffness index in hypertensive patients. *J Hypertens*. 2008 Oct;26(10):1993-2000.

Djurabi RK, Klok FA, Nijkeuter M, **Kaasjager K**, Kamphuisen PW, Kramer MH, et al. Comparison of the clinical usefulness of two quantitative D-Dimer tests in patients with a low clinical probability of Pulmonary Embolism. *Thromb Res*. 2008 Sep 22 (epub ahead of print)

Dofferhoff A, **Richter C**. Acute hepatitis C. Wie behandelen, waarmee en hoelang? *Tijdschrift voor Infectieziekten* 2008;3:53-60.

Hofstra J, Loves S, van Wageningen B, Ruinemans-Koerts J, Jansen I, de Boer H. High prevalence of hypogonadotropic hypogonadism in men referred for obesity treatment. *Neth J Med*. 2008 Mar;66(3):103-9.

Hovens MM, Snoep JD, Groeneveld Y, Frolich M, Tamsma JT, Huisman MV. Effects of aspirin on serum C-reactive protein and interleukin-6 levels in patients with type 2 diabetes without cardiovascular disease: a randomized placebo-controlled crossover trial. *Diabetes Obes Metab*. 2008 Aug;10(8):668-74.

Kayser B, Hulsebosch R, **Bosch F**. Low-Dose Acetylsalicylic Acid Analog and Acetazolamide for Prevention of Acute Mountain Sickness. *High Altitude Medicine & Biology*. 2008;9(1):15-23.

Kayser B, Hulsebosch R, **Bosch F**. Low-Dose Acetylsalicylic Acid Analog and Acetazolamide for Prevention of Acute Mountain Sickness. *High Altitude Medicine & Biology* authorsreply. 2008;9(4):1-2

Klok FA, Djurabi RK, Nijkeuter M, Eikenboom HC, Leebeek FW, Kramer MH, **Kaasjager K**, et al. High D-dimer level is associated with increased 15-d and 3 months mortality through a more central localization of pulmonary emboli and serious comorbidity. *Br J Haematol*. 2008 Jan;140(2):218-22.

Koeman M, van der Ven AJ, Hak E, Joore JC, **Kaasjager HA**, de Smet AM, et al. Minder beademingspneumonien door orale decontaminatie met chloorhexidine; gerandomiseerde trial. *Ned Tijdschr Geneesk*. 2008 Mar 29;152(13):752-9.

Leusen R van, Adang RP, **de Vries RA**, Cnossen TT, Konings CJ, Schalm SW, et al. Pegylated interferon alfa-2a (40 kD) and ribavirin in haemodialysis patients with chronic hepatitis C. *Nephrol Dial Transplant*. 2008 Feb;23(2):721-5.

Loves S, Ruinemans-Koerts J, de Boer H. Letrozole once a week normalizes serum testosterone in obesity-related male hypogonadism. *Eur J Endocrinol*. 2008 May;158(5):741-7.

Majoor J, **van Luin M, Maessen-Visch MB, Langebeek N, Richter C**. Toxische epidermale necrolyse bij een patient met HIV en nevirapine gebruik. Tijdschrift voor Infectieziekten. 2008;3:190-5

Man M de, Derksen E, Pieters G, **de Boer H**. Cetrorelix suppression test in the diagnostic work-up of severe hyperandrogenism in adolescence. J Pediatr Endocrinol Metab. 2008 Sep;21(9):905-9.

Oosterheert JJ, Bonten MJ, Schneider MM, Buskens E, Lammers JW, Hustinx WN, et al. **Kaasjager K**. Vroege omschakeling van intraveneuze naar orale antibiotica even effectief als standaard intraveneuze therapie bij ernstige, buiten het ziekenhuis opgelopen pneumonie. Ned Tijdschr Geneesk. 2008 Feb 2;152(5):269-74.

Reichert LJM, Nienhuis-Brands HA, van Schelven IH, van Ostaayen JA. Ontzie de nieren: ziekenhuis Rijnstate boekt succes met poli Contrastnefropathie. Medisch Contact. 2008 14 maart;63(11):470-2.

Rooden. C. J. v, Schippers EF, Guiot HF, Barge RM, **Hovens MM**, van der Meer FJ, et al. Prevention of coagulase-negative staphylococcal central venous catheter-related infection using urokinase rinses: a randomized double-blind controlled trial in patients with hematologic malignancies. J Clin Oncol. 2008 Jan 20;26(3):428-33.

Schmitz AC, **Meeuwis C**, Veldhuis WB, van Hillegersberg R, Schipper ME, van den Bosch MA. High-spatial-resolution bilateral contrast-enhanced breast MRI at 3 T: preoperative staging of patients diagnosed with invasive lobular cancer. Breast J. 2008 Mar-Apr;14(2):206-8.

Staessen JA, Thijs L, Ohkubo T, Kikuya M, Richart T, Boggia J, et al. **Adiyaman, A**. Thirty years of research on diagnostic and therapeutic thresholds for the self-measured blood pressure at home. Blood Press Monit. 2008 Dec;13(6):352-65.

Steeghs N, Gelderblom H, Roodt JO, Christensen O, Rajagopalan P, **Hovens M**, et al. Hypertension and rarefaction during treatment with telatinib, a small molecule angiogenesis inhibitor. Clin Cancer Res. 2008 Jun 1;14(11):3470-6.

Tick LW, Nijkeuter M, Kramer MH, **Hovens MM**, Buller HR, Leebeek FW, et al. High D-dimer levels increase the likelihood of pulmonary embolism. J Intern Med. 2008 Aug;264(2):195-200.

Tjwa E, Mattijssen V. Images in clinical medicine. Gingival hypertrophy and leukemia. N Engl J Med. 2008 Oct 16;359(16):e21.

Veris-van Dieren J, Wiersma A, Richter C. Uw diagnose? Tijdschrift voor Infectieziekten 2008;3:34-5.

Wit FW, Kesselring AM, Gras L, **Richter C**, van der Ende ME, Brinkman K, et al. Discontinuation of nevirapine because of hypersensitivity reactions in patients with prior treatment experience, compared with treatment-naive patients: the ATHENA cohort study. Clin Infect Dis. 2008 Mar 15;46(6):933-40

Kindergeneeskunde

Beek FJA, Termote JUM, Peters PAG, Brus F, Noordam C, Smorenburg MK, **van Setten PA**. Persistierende onverklaarde neonatale hypoglykemie door arteriële positie van een navelvenelijn. Ned Tijdschr Geneesk. 2008; 152:293-4.

Birgit S. Budde, Yasmin Namavar, Peter G. Barth, Bwee Tien Poll-The, et al, **Wim Brussel**. tRNA splicing endonuclease mutations cause pontocerebellar hypoplasia. Nature Genetics 2008 Aug 17. [Epub ahead of print].

Nederveen AC, ALM Boehmer, EDH Bel, HLJ Brackel, EEM van Essen-Zandvliet, FGA Versteegh, **AM Landstra**, EJ Duiverman, JC de Jongste. Moeilijk behandelbaar astma op de kinderleeftijd in Nederland. Tijdschrift voor kindergeneeskunde, 2008:supplement 1:108

Pistorius LR, **Smal J**, de Haan TR, Page Christiaan GC et al. Disturbances of cerebral neuronal migration following congenital parvo b19 infection; fetal diagnosis 2008; 24(4) 491-4 epub, 2008 dec5

Peters PA, van Dijk KG. Diagnose in beeld (362). Een zuigeling met een plekje op het sternum. Ned Tijdschr Geneesk. 2008 Feb 23;152(8):436.

Klinische chemie en haematologie

Bosman GJ, **Werre JM, Willekens FL**, Novotny VM. Erythrocyte ageing in vivo and in vitro: structural aspects and implications for transfusion. Transfus Med. 2008 Dec;18(6):335-47

Janssens PM. Colouring the different phases in gamete and embryo donation. Hum Reprod. 2008 Dec 4. (epub ahead of print)

Janssens PM, Cheung KS. Approaching risk analysis and risk management in the fertility laboratory and semen bank. Int J Androl. 2008 Sep 16. (epub ahead of print)

Mocarelli P, Horowitz GL, Gerthoux PM, Cecere R, Imdahl R, **Ruinemans-Koerts J**, et al. Increasing Efficiency and Quality by Consolidation of Clinical Chemistry and Immunochemistry Systems with MODULAR ANALYTICS SWA. J Autom Methods Manag Chem. 2008; 498921.

Verhaagen J, Janssens PMW. Een ziekenhuislaboratorium is gewoon heel anders. Analyse. 2008 nov:265-8.

Willekens FL, Werre JM, Groenen-Dopp YA, Roerdinkholder-Stoelwinder B, de Pauw B, Bosman GJ. Erythrocyte vesiculation: a self-protective mechanism? Br J Haematol. 2008 May;141(4):549-56.

Longziekten

Pompen M, Gok M, Novak A, van Wuijtswinkel R, Biesma B, Schramel F, et al. **Smit H**. Direct costs associated with the disease management of patients with unresectable advanced non-small-cell lung cancer in The Netherlands. *Lung Cancer*. 2008 Sep 19.

Stege G, Vos PJ, van den Elshout FJ, Richard Dekhuijzen PN, **van de Ven MJ**, Heijdra YF. Sleep, hypnotics and chronic obstructive pulmonary disease. *Respir Med*. 2008 June; 102(6):801-14.

Stege G, van den Elshout FJ, Heijdra YF, van de **Ven MJ**, Dekhuijzen PN, **Vos PJ**. Accuracy of Transcutaneous Carbon Dioxide Tension Measurements during Cardiopulmonary Exercise Testing. *Respiration*. 2008. epub.

Vercoulen JH, Daudey L, Molema J, **Vos PJ**, Peters JB, Top M, et al. An Integral assessment framework of health status in chronic obstructive pulmonary disease (COPD). *Int J Behav Med*. 2008;15(4):263-79.

Maag- darm en leverziekten

Ahmed AI, Vreede RW, Al-Saudi N, Herremans M, Brouwer JT. Een man met in Nederland opgelopen hepatitis E. *Ned Tijdschr Geneesk*. 2008 Dec 6;152(49):2689-92.

Besselink MG, van Santvoort HC, Buskens E, Boermeester MA, van Goor H, Timmerman HM, **Wahab PJ**, et al. Probiotic prophylaxis in predicted severe acute pancreatitis: a randomised, double-blind, placebo-controlled trial. *Lancet*. 2008 Feb 23;371(9613):651-9.

Besselink MG, van Santvoort HC, Buskens E, Boermeester MA, van Goor H, Timmerman HM, **Wahab PJ**, et al. Probioticoprofylaxe bij voorspeld ernstige acute pancreatitis: een gerandomiseerde, dubbelblinde, placebogecontroleerde trial. *Ned Tijdschr Geneesk*. 2008 Mar 22;152(12):685-96.

Korstanje A, Eeden SV, Offerhaus JA, Waltman FL, **den Hartog G**, Roelandse FW, et al. Comparison Between Serology and Histology in the Diagnosis of Advanced Gastric Body Atrophy: A Study in a Dutch Primary Community. *J Clin Gastroenterol*. 2008 Jan;42(1):18-22.

Spanier BW, Dijkgraaf MG, Bruno MJ. Trends and forecasts of hospital admissions for acute and chronic pancreatitis in the Netherlands. *Eur J Gastroenterol Hepatol*. 2008 Jul;20(7):653-8.

Spanier BW, Dijkgraaf MG, Bruno MJ. Epidemiology, aetiology and outcome of acute and chronic pancreatitis: An update. *Best Pract Res Clin Gastroenterol*. 2008;22(1):45-63.

Spanier BW, Mathus-Vliegen EM, Tuynman HA, Van der Hulst RW, Dijkgraaf MG, Bruno MJ. Nutritional management of patients with acute pancreatitis: a Dutch observational multicentre study. *Aliment Pharmacol Ther.* 2008 Nov 1;28(9):1159-65.

Spanier BW, Schreuder D, Dijkgraaf MG, Bruno MJ. Source validation of pancreatitis-related hospital discharge diagnoses notified to a national registry in the Netherlands. *Pancreatology.* 2008;8(4-5):498-503.

Spanier BW, Stokkers PC, Bartelsman JF. An unusual bleeding duodenal ulcer. *Gut.* 2008 Mar;57(3):373, 82.

Verbeek WH, **Goerres MS**, von Blomberg BM, **Oudejans JJ**, Scholten PE, Hadithi M, et al. Flow cytometric determination of aberrant intra-epithelial lymphocytes predicts T-cell lymphoma development more accurately than T-cell clonality analysis in Refractory Celiac Disease. *Clin Immunol.* 2008 Jan;126(1):48-56.

Medische Microbiologie

Sanden S, van der, de Bruin E, Vennema H, **Swanink C**, Koopmans M, van der Avoort H. Prevalence of Human Parechovirus in the Netherlands, 2000-2007. *J Clin Microbiol.* 2008 Sep;46(9):2884-9.

Neurologie

Hofmeijer J, Algra A, Kappelle LJ, van der Worp HB. Predictors of life-threatening brain edema in middle cerebral artery infarction. *Cerebrovasc Dis.* 2008;25(1-2):176-84.

Hofmeijer J, Anema PC, van der Tweel I. New algorithm for treatment allocation reduced selection bias and loss of power in small trials. *J Clin Epidemiol.* 2008 Feb;61(2):119-24

Horn J, **Zandbergen EG**, Koelman JH, Hijdra A. [Bepalen van de prognose van een coma na reanimatie [Prognosis for patients in a coma following cardiopulmonary resuscitation]. *Ned Tijdschr Geneesk.* 2008 Feb 9;152(6):308-13.

Zandbergen EG. Postanoxic coma: how (long) should we treat? *Eur J Anaesthesiol Suppl.* 2008;42:39-42.

Orthopedie

Boons HW, van Loon CJ, Rijnberg WJ. Lengthener loosening in a reversed shoulder prosthesis: a case report. *Acta Orthop Belg.* 2008 Oct;74(5):689-92.

Brokelman R, van Loon C, van Susante J, van Kampen A, Veth R. Patients are more satisfied than they expected after joint arthroplasty. Acta Orthop Belg. 2008 Feb;74(1):59-63.

Brokelman RB, van Loon CJ, Boog GJ. Surgeon satisfaction agreement after total knee arthroplasty using a visual analogue scale: a single surgeon series. Arch Orthop Trauma Surg. 2008 Mar;128(3):255-9.

Grinsven S van, Holla CJM, Cingel REH van, **Loon CJM van**. 'Evidence based' nabehandeling van voorstekruisbandreconstructie. Ned Tijdschr Orthopedie. 2008;15(2):70-82.

Kock N, Smolders J., **van Susante JLC**, Buma J, van Kampen A, Verdonschot N. A cadaveric analysis of contact stress restoration after osteochondral of a cylindrical cartilage defect. Knee. Surgery, Sport Traumatology and Arthroscopy 2008;16(5):461-8.

Koppens D, Rijnberg WJ, Loon CJM van. Oxford unicondylaire knieprothese - de eerste 100 patiënten met minimaal invasieve techniek. Ned Tijdschr Orthopedie. 2008 15(2):59-65

Loon PJ van, Kuhbauch BA, Thunnissen FB. Forced lordosis on the thoracolumbar junction can correct coronal plane deformity in adolescents with double major curve pattern idiopathic scoliosis. Spine. 2008 Apr 1;33(7):797-801.

Nijhuis WH, Mattijssen EJM, Hilkens PHE, Westenberg AH, van Susante JLC. Chirurgische opties in de multidisciplinaire behandeling van spinale epidurale metastasen. Ned Tijdschr Orthopedie. 2008;15(4):145-51.

Susante JLC van. Autologe Osteochondraal Transplantatie van de knie - indicatie, operatietechniek en kanttekeningen. Ned Tijdschr Orthopedie. 2008;15(1):4-10.

Psychologie

Joosten-Weyn Banningh LW, Kessels RP, Olde Rikkert MG, **Geleijns-Lanting CE**, Kraaimaat FW. A cognitive behavioural group therapy for patients diagnosed with mild cognitive impairment and their significant others: feasibility and preliminary results. Clin Rehabil. 2008 Aug;22(8):731-40.

Psychiatrie

Verhoeven W, Tuinier S, Egger J, Erp Fv, **Tuerlings J**. Avolition in a patient with hypogonadism. The European Journal of Psychiatry. 2008;22:195-9.

Tuerlings JH, Muller ME, Verwey B, van Waarde JA. Palliatieve zorg op een psychiatrisch-medische unit. Ned Tijdschr Geneesk. 2008 Sep 6;152(36):1949-52.

Verwey B, van Waarde J, Huyse FJ, Leentjes AFG. Consultatieve en ziekenhuispsychiatrie in Nederland: op weg naar psychosomatische geneeskunde. Tijdschrift voor Psychiatrie. 2008;50:139-43.

Radiologie

Gorp MJ van. Kasabach-Merritt syndrome. Jbr-Btr. 2008 May-Jun;91(3):122-3.

Nielke MC, Horsch AD, Ven MV, Reijnen MM, Joosten FB. Right middle lobe torsion: evaluation with CT angiography. Emerg Radiol. 2008 Nov 4. (epub ahead of print).

Zuijdwijk MM, Ensink RJ. Diagnose in beeld (367). Een man met foetor ex ore. Ned Tijdschr Geneesk. 2008 Apr 5;152(14):803.

Reumatologie

Al MJ, Maniatakis N, Grijseels EW, **Janssen M**. Costs and Effects of Various Analgesic Treatments for Patients with Rheumatoid Arthritis and Osteoarthritis in The Netherlands. Value Health. 2008;11(4):589-599 .

Jansen TL, **Janssen M**, Stolk JN, Jacobs JWG. Kwaliteitsimpuls Nederlandse jichtbehandeling via medical audit met Europese en Britse jichtrichtlijnen als inspiratiebron. Ned Tijdschr Reumatol. 2008;11(2):26-34.

Janssens H, Lucassen P, van de Laar F, **Janssen M**, Lisdonk E, van de. Systemic corticosteroids for acute gout. Cochrane Database Syst Rev 2008 february(2).

Janssens HJ, **Janssen M**, Richette P, Bardin T. Should prednisolone be first-line therapy for acute gout? (author reply to Richette & Bardin). Lancet. 2008 Oct 11;372(9646):1301; author reply -2.

Janssens HJ, **Janssen M**, van de Lisdonk EH, van Riel PL, van Weel C. Use of oral prednisolone or naproxen for the treatment of gout arthritis: a double-blind, randomised equivalence trial. Lancet. 2008 May 31;371(9627):1854-60.

Kievit W, Adang EM, Fransen J, Kuper HH, van der Laar MA, Jansen TL, **de Gendt CMA**, et al. The effectiveness and medication costs of three anti-TNF α agents in the treatment of rheumatoid arthritis from prospective clinical practice data. Ann Rheum Dis. 2008 Sep;67(9):1229-34.

Leest HT de, Steen KS, Bloemena E, Lems WF, Kuipers EJ, van de Laar MA, et al. **Janssen M**. Helicobacter pylori Eradication in Patients on Long-term Treatment With NSAIDs Reduces the Severity of Gastritis: A Randomized Controlled Trial. J Clin Gastroenterol. 2008 Sep 12.

Revalidatie geneeskunde

Nes IJ van, van der Linden S, Hendricks HT, van Kuijk AA, **Rulkens M**, Verhagen WI, et al. Is Visuospatial Hemineglect Really a Determinant of Postural Control Following Stroke? An Acute-Phase Study. *Neurorehabil Neural Repair*. 2008 Dec 31